

According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 1 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Chlorendic Anhydride PE1+ SG REACH registration No.: 01-2119911956-30-0000

CAS-Number: 115-27-5 EC-number: 204-077-3 Index-number: 607-101-00-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses:

Industrial applications: Hardener for epoxy resins, paints, and coatings. Other non-specified industry: Flame retardant in unsaturated polyester resins.

1. Receipt and storage of raw materials

SU 10; PROC 1, 3, 8b; PC 32; ERC 2

2. Blending or dissolving or dispersion

SU 10; PROC 2, 4, 5; PC 32; AC 32; ERC 2

3. Filtering and filling

SU 10; PROC 8a, 9; PC 32; ERC 2

4. Waste management

SU 23; PROC 3, 8b; ERC 2

5. Use in closed batch process (synthesis or formulation)

SU 3; PROC 3; PC 32; ERC 2

6. Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)

SU 3; PROC 5; PC 32

7. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities

PROC 8b, 9; PC 32; ERC 2

8. Research and development

PROC 15; PC 32; ERC 2

1.2.2 Uses advised against:

No specific uses advised against have been identified.

1.3 Details of the supplier of the safety data sheet

Company name: Velsicol Chemical Ireland Ltd

Charter House

Street/POB-No.: 5 Pembroke Row

Postal Code, city: Dublin 2

Republic of Ireland

WWW: <u>www.velsicol.com</u>
Telephone: +353 1 477 3143
Telefax: +353 1 402 9587

Dept. responsible for information: sfriedman@velsicol.com

1.4 Emergency telephone number

Telephone: +49 51 92 98970 (08:00- 17:00 CET) or

CHEMTREC, Telephone: +1 703 527 3887 (24h; from USA: +1 800 424 9300)



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 2 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.

Eye Irrit. 2; H319 Causes serious eye irritation.

Skin Sens. 1; H317 May cause an allergic skin reaction.

STOT SE 3; H335 May cause respiratory irritation.

Chron. 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms



Signal word: Warning

Hazard statements:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261: Avoid breathing dust.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special labelling

EUH 401: To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

No risks worthy of mention.

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterization: C9 H2 Cl6 O3

Chemical name: 1,4,5,6,7,7-Hexachlorobicyclo [2,2,1] hept-5-ene-2,3-dicarboxylic anhydride

CAS-Number: 115-27-5 EC-number: 204-077-3 Index-number: 607-101-00-4

Purity: >95%

Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)

Eye Irrit. 2; H319: $C \ge 1$ % STOT SE 3; H335: $C \ge 1$ % Skin Irrit. 2; H315: $C \ge 1$ %



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 3 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

Hazardous impurities

Chemical Name	Common name and synonyms	EC number	% by Weight
Maleic anhydride	2,5-Furandione	203-571-6	<1.0
Chlorobenzene	Benzene, chloro-	203-628-5	<5.0

3.2. Mixtures

Not a mixture

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 General information:

Inhalation and skin contact are expected to be the primary routes of occupational exposure to chlorendic anhydride. This material is irritating to the eyes, skin and respiratory tract.

4.1.2 Following inhalation:

Remove to under fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

4.1.3 Following skin contact:

Immediately wash skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated shoes.

4.1.4 Following eye contact:

Immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.

4.1.5 Following ingestion:

Get medical attention. Inducing vomiting as directed by medical personnel. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

4.1.6 Self-protection of the first aider:

Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed out of the workplace. Get medical attention immediately.

4.1.7 Notes for the doctor:

Not available.

4.2 Most important symptoms and effects, both acute and delayed

Severely irritate to eyes. Causes skin irritation. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Flammability Properties: Non-flammable.
- Suitable extinguishing media: Extinguishing is to be in accordance with the surrounding fire.
- Unsuitable extinguishing media: Not applicable.

5.2 Special hazards arising from the substance or mixture

Fine dust.

This product contains up to 5% occluded Chlorobenzene, which can present a fire hazard if sufficient oxygen and a source of ignition is present.



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 4 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

5.3 Advice for firefighters

- Special protective equipment for firefighters:
 - Advice for fire-fighters: Wear self-contained breathing apparatus, protective clothing and rubber boots.
- Additional information:

Non-flammable; No explosion. Avoid breathing dust.

Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use suitable personal protective equipment to protect skin and eyes. Ventilate affected area.

Avoid generation of dust. Avoid breathing dust.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Stop leak if safe to do so.

Collect in closed and suitable containers for disposal. Dispose of this material and its container to hazardous or special waste collection point.

Avoid generation of dust.

Remove residual product with water and detergent. Avoid release to the environment.

6.4 Reference to other sections

Refer additionally to chapter 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Recommendations for safe handling

- Protective measures: Do not handle until all safety precautions have been read and understood.
 Wear suitable protective clothing, gloves and eye/face protection.
- Protective measures at dust formation: Provide good ventilation. Avoid breathing dust.
- Environmental measures: Avoid release to the environment.

7.1.2 Advices on general occupational hygiene

Avoid contact with skin and eyes. Change contaminated clothing. When using do not eat, drink or smoke. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Requirements for storerooms and containers

Store at room temperature in a dry and well ventilated area. Keep container tightly closed. Keep away from food, drink and animal feeding stuffs.

This product contains up to 5% occluded Chlorobenzene, which can present a fire hazard if sufficient oxygen and a source of ignition is present. Ground containers and equipment to avoid static charge accumulation and/or use an inert atmosphere to prevent combustion.

7.2.2 Storage Class

Protect from humidity and water.

7.3 Specific end use(s)

End use name	Substance supplied to that use



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 5 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

Receipt and storage of raw materials	as such (substance itself)
Blending / dissolving of dispersion	as such (substance itself)
Filtering and filling	in a mixture
Waste management	in a mixture
Use in closed batch process	as such (substance itself)
Mixing or blending batches	as such (substance itself)
Transfer of substance	in a mixture
Research and development.	as such (substance itself)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 The national occupational exposure limit values

Chlorendic Anhydride:

contains no occupational exposure limit values.

Chlorobenzene:

Exposure Limits: ACGIH TWA: 10 ppm or 46 mg/m³. OSHA PEL: 75ppm or 350 mg/m³

Maleic anhydride:

United Kingdom, WEL - TWA: 1 mg/m3, WEL - STEL: 3 mg/m3

United States: TWA: 0.25 ppm from OSHA/NIOSH; TWA: 0.25 ppm from ACGIH.

8.1.2 Recommended monitoring procedures

N/A

8.1.3 Air contaminants occupational exposure limit values

8.1.4 The relevant DNELs and PNECs

DN(M)ELs for workers

Exposure pattern Route		DNEL / DMEL	(Corrected) Dose descriptor	
Acute - systemic effects	Dermal	43 mg/kg bw/day	NOAEL: 1,290 mg/kg bw/day (based on AF of 30)	
Acute - systemic effects Inhalation 299 mg/m³		NOAEC: 8,970 mg/m³ (based on AF of 30)		
Acute - local effects	Dermal	1 mg/cm ²	LOAEL: 50 mg/cm² (based on AF of 50)	
Acute - local effects	Inhalation	299 mg/m³	NOAEC: 8,970 mg/m³ (based on AF of 30)	
Long-term - systemic effects	Dermal	3.7 mg/kg bw/day	NOAEL: 1,110.0 mg/kg bw/day (based on AF of 300)	
Long-term - systemic effects	Inhalation	15 mg/m³	NOAEC: 4,500 mg/m³ (based on AF of 300)	
Long-term - local effects	Dermal	0.56 mg/cm ²	NOAEL: 100.80 mg/cm² (based on AF of 180)	
Long-term - local effects	Inhalation	33.23 mg/m³	NOAEC: 9,969.00 mg/m³ (based on AF of 300)	

DN(M)ELs for the general population

Exposure pattern	Route	DNEL / DMEL	(Corrected) Dose descriptor
Exposure pattern	Noute	DIVLE / DIVILE	(Oorrected) bose descriptor
Acute - systemic effects	Dermal	21 mg/kg bw/day	NOAEL: 1,260 mg/kg bw/day (based on AF of 60)
Acute - systemic effects	Inhalation	149 mg/m³	NOAEC: 8,940 mg/m³ (based on AF of 60)
Acute - systemic effects	Oral	21 mg/kg bw/day	NOAEL: 1,260 mg/kg bw/day (based on AF of 60)
Acute - local effects	Dermal	0.5 mg/cm ²	LOAEL: 50.0 mg/cm² (based on AF of 100)
Acute - local effects	Inhalation	0.042 mg/m³	NOAEC: 50.400 mg/m³ (based on AF of 1200)
Long-term - systemic effects	Dermal	3 mg/kg bw/day	NOAEL: 1,080 mg/kg bw/day (based on AF of 360)



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 6 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

Long-term - systemic effects Inhalation		12 mg/m³	NOAEC: 4,320 mg/m³ (based on AF of 360)
Long-term - systemic effects	Oral	1.1 mg/kg bw/day	NOAEL: 396.0 mg/kg bw/day (based on AF of 360)
Long-term - local effects	Dermal	0.28 mg/cm ²	NOAEL: 100.80 mg/cm² (based on AF of 360)
Long-term - local effects	Inhalation	16.62 mg/m³	NOAEL: 9,972.00 mg/m³ (based on AF of 600)

PNECs

Environmental protection	PNEC	Remark
target		
Fresh water	0.097 mg/L	Extrapolation method: assessment factor
Marine water	0.0097 mg/L	
Intermittent release 0.97 mg/L		The LC50 from Acute toxicity to Algae, 97.2 mg/l, was used.
Sediment (fresh water)	0.097 mg/kg dw	This is the worst-case scenario for aquatic toxicity.
Sediment (marine water)	0.0097 mg/kg dw	
Soil (Terrestrial)	0.106 mg/kg dw	Extrapolation method: partition coefficient
Food chain (Oral, mammals)	2.51 mg/kg food	The endpoint used was 90 day sub-acute oral toxicity to rats
		which gave a result of 226 mg/kg bw/day and has an
		assessment factor of 90.
Sewage treatment	16.23 mg/L	Extrapolation method: assessment factor

DN(M)EL: Derived No(Minimal) Effect Level; NOAEL(C): No-observed-adverse-effect level (concentration),

PNEC: Predicted No-Effect Concentration; AF: Assessment Factor

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Provide ventilation if necessary to minimize exposure. If practical use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

8.2.2 Personal protective measures:

Do not eat, drink, or smoke whilst working. Keep away from foodstuffs, beverages and feed. Remove all contaminated clothing. Wash hands before breaks and at the end of work.

Respiratory protection

A full-face piece respirator with dual organic vapour and particulate matter cartridge is recommended.

Hand Protection

Chemical resistant coveralls, gloves and boot covers. If gloves are damaged during use, remove immediately and wash hands before replacing with new gloves.

Eye and face protection

Safety glasses should be worn when handling this substance.

Skin protection

Aprons or coveralls are recommended. These should be changed after use or if contaminated. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

8.2.3 Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Solid, Crystalline

Colour: White

Odour: Strong odour of aromatic hydrocarbons

Odour threshold: Unknown



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 7 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

pH: Not available
Melting point/ range: 235 - 239 °C

Boiling point/range: 266.5 - 322 °C

Flash point: Not applicable
Flammability: Non-flammable
Auto-ignition temperature: Not applicable
Explosive properties: Not explosive

Vapour pressure: at 25 °C: 0,00268 Pa Vapour density: no data available

Density: at 20 °C: 1,76 g/cm³ (Pyknometer)

Solubility: Easily soluble in: Acetone; Soluble in: Methanol, diethyl ether, n-octanol

Water solubility: at 20 °C: <= 0,0025 g/L

Partition coefficient n-octanol/water: at 25 °C: -1,59 log Kow (Chlorendic acid)

Appreciable bio-accumulation is not to be expected (log Po/w 1-3).

Thermal decomposition:

Viscosity, dynamic:

Viscosity, kinematic:

Explosive properties:

Oxidizing characteristics:

no data available
not applicable
no data available
no data available

Dissociation Constant: Study not undertaken as Chlorendic Anhydride readily hydrolyses

Particle size distribution (median value): 0,1% w/w < 10 μm

9.2 Other information

Molecular weight: approx. 371 g/mol Evaporation rate: Not applicable Decomposition temperature: Not available Oxidising properties: Not oxidising vapour density: not available

Surface tension: 72 mN/m (20°C, 450 mg/L aqueous solution). The product hydrolyses quickly in

the presence of water to: Chlorendic acid

SECTION 10: Stability and reactivity

10.1 Reactivity

Not a reactive substance and no reactive hazards are expected.

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Product is stable under normal storage conditions.

The product hydrolyses quickly in the presence of water to: Chlorendic acid (CA# 115-28-6)

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Protect from moisture contamination. Protect from heat and direct sunlight.

10.5 Incompatible materials

Oxidizing or reducing agents, strong bases, acids.

10.6 Hazardous decomposition products

No decomposition when used properly.



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 8 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 115-27-5, Chlorendic Anhydride:

(a) Acute toxicity

This substance is not classified as acute toxic for all exposure route listed below:

Acute Toxicity	Effect Dos /Concentration		
Acute Oral Toxicity	LD50: 2562 mg/kg bw (male)		
	LD50: 2130 mg/kg bw (female)		
Acute dermal toxicity	LD50: 10000 - 20000 mg/kg bw		
Acute inhalative toxicity (dust/mist)	LC50: > 203 mg/l		

(b) Skin corrosion/irritation

Causes skin irritation

(c) Serious eye damage/irritation

Causes serious eye irritation

Irritation parameter	Basis	Time point	Score	Max. score	Reversibility	Remarks
overall irritation score	mean	14 days	16.4	17.3	no data	Rabbit

(d) Respiratory/skin sensitisation

May cause an allergic skin reaction

(e) Germ cell mutagenicity

Chlorendic Anhydride is not classified as genetically toxic as all study results are negative.

(f) Carcinogenicity

Not classified as carcinogenic.

Chlorendic anhydride will rapidly hydrolyze to chlorendic acid in the presence of water.

International Agency for Research on Cancer (IARC) has given chlorendic acid an overall evaluation of 2B (possibly carcinogenic).

(g) Reproductive toxicity

Chlorendic anhydride is not classified as toxic to reproduction as negative results were obtained in the reproductive and spermatogenetic studies in animals.

Adverse effects on sexual function and fertility:

Species	Result /Evaluation
Mouse	NOEL (Fetal mortality): > 223 mg/kg bw/day (actual dose received)

Adverse effects on developmental toxicity:

Species	Result / Evaluation
Rats	NOEL: 400 mg/kg bw/day (actual dose received); NOEL (maternal toxicity): 100 mg/kg bw/day (nominal)

(h) STOT-single exposure

May cause respiratory irritation

(i) STOT-repeated exposure



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 9 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

Not classified

(j) Aspiration hazard

This substance is a solid.

108-31-6, Maleic anhydride in RTECS (#ON3675000):

Dermal, guinea pig: LD50 = >20 gm/kg; Draize test, rabbit, eye: 1% Severe; Oral, mouse: LD50 = 465 mg/kg; Oral, rabbit: LD50 = 875 mg/kg; Oral, rat: LD50 = 400 mg/kg; Skin, rabbit: LD50 = 2620 mg/kg.

108-90-7, Chlorobenzene:

Oral, LD50, Rat: 1110 mg/kg; Oral, LD50, Mouse: 2300 mg/kg.

11.2 Information on other hazards

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Aquatic Chronic 3, H412: Harmful to aquatic life with long lasting effects.

Acute (short-term) fish toxicity:

- LC50 Oncorhynchus mykiss: 422,7 mg/L/96h (EU Method C. 1)
- LC50 Lepomis macrochirus (Bluegill): 422,7 mg/L/96h (EU Method C.1)
- LC50 (freshwater fish): 422.7 mg/L

Acute Daphnia toxicity:

- EC50 Daphnia magna (Big water flea): 110,7 mg/L/48h (EU Method C.2)

Acute (short-term) toxicity to crustacea:

- EC50/LC50: 110,7 mg/L/48h

Algae toxicity (acute):

- EC50/LC50: 97,2 mg/L/72h (Algal Inhibition test)
- EC10/LC10 or NOEC: 48,4 mg/L/72h (Algal Inhibition test)

Algae toxicity (chronic):

- EC50: >97,2mg/L

Predicte	Predicted No Effect Concentration (PNEC)								
Fresh	Marine	Intermittent	Sediment	Sediment	Soil	STP (sewage	Oral		
water	water	release	(fresh water)	(marine water)	(Terrestrial)	treatment plant)	(mammals)		
0.097 mg/L	0.0097 mg/L	0.97 mg/L	0.097 mg/kg dw	0.0097 mg/kg dw	0.106 mg/kg dw	16.23 mg/L	2.51 mg/kg food		

12.2 Persistence and degradability

Abiotic degradation:

- Chlorendic Anhydride hydrolyzed with water (Product: Chlorendic acid).
- Water solubility (Chlorendic acid): 0,499 mg/L.

Biodegradation:

- Chlorendic Anhydride: Not bio-degradable.
- Chlorendic acid: Potentially biologically degradable.

12.3 Bioaccumulative potential



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 10 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

Partition coefficient n-octanol/water: 1,39 log Kow; No accumulation

Partition coefficient n-octanol/water: at 25 °C: -1,59 log Kow (Chlorendic acid)

Appreciable bio-accumulation is not to be expected (log Po/w 1-3).

12.4 Mobility in soil

Chlorendic Anhydride hydrolyzed with water (Product: Chlorendic acid) log Koc = 0,92 (Chlorendic acid)

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 01 99 = Wastes from the manufacture, formulation, supply and use (MFSU) of basic

organic chemicals: Wastes not otherwise specified MFSU = manufacture, formulation, supply and use

Recommendation: Ensure all waste water is collected and treated via a waste water treatment plant. Dispose of contents/container in accordance with local/regional/national/international regulation.

Contaminated packaging

Recommendation: Dispose of waste in accordance with local/regional/national/international regulation

SECTION 14: Transport information

14.1 UN number

Not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA: Not restricted

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Marine pollutant - IMDG: No

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - EC member states

Not known.



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 11 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

National regulations - USA

TSCA Inventory: listed, active

TSCA HPVC: not listed

NFPA Hazard Rating:

Health: 3 (Serious), Fire: 0 (Minimal), Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 3 (Serious) - Chronic effects, Flammability: 0 (Minimal), Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

16.1 Indication of changes

Review and updated Section 2 and 16, 2023-01-23

Revision according to COMMISSION REGULATION (EU) 2020/878, 2022-10-23

Review and minor format changes, 2022-05-23

Major update: change format on most sections. 2019-04-05

Modified Section 2 and 11: Delete H373, STOT SE 3., 2017-09-20

Delete DSD Classification and Labeling in sections 2 and 16, 2017-06-20

Changes in section 1: update REACH registration No. General revision, 2014-08-08

First Version of this format, 2013-02-12

16.2 Key literature references and sources for data

Dossier and Chemical Safety Report (CSR) submitted to ECHA under REACH

EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Hazard Communication Standard (HCS)(29 CFR 1910.1200(g)) and Appendix D

Hazardous Substance Data Bank (HSDB), National library of Medicine, #2920

Product Data Sheet and SDS information from manufacturer.

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Not a mixture.

16.4 List of relevant hazard statements and/or precautionary statements which are not written out in full under Sections 2 to 15

Precautionary statements:

P264: Wash contaminated skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation



According to EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP), 2015/830 & 2020/878

Version: 7 Revision: 2023-01-23 Language: EN

Page 12 of 12

Chlorendic Anhydride PE1 + SG

Material number C002

16.5 Contact Information

SDS or Regulatory information, contact:

Dawei Li

Velsicol Chemical LLC 1199 Warford Street Memphis, TN 38108

Phone: +1 901 323 6226, ext. 124

Fax: +1 901 324 5897 dli@velsicol.com

Technical or Product Support Information, contact:

Sherman Friedman Velsicol Chemical LLC 10400 W. Higgins Road Rosemont, IL 60018 U.S.A. Phone: +1 847 635 3486

Fax: +1 847 298 9018

Email: sfriedman @velsicol.com

16.6 Further information: Notice to Reader

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision.

It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.