EU SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 and Regulation (EU)

No 453/2010 (REACH)



## **Sodium Benzoate**

Version: 1.0 / EN Revision date: 19 October 2017

## **SECTION 1: Identification**

## 1.1 Product identifier Sodium Benzoate, Granular

**REACH registration No.:** 01-2119460683-35-0004 **CAS-Number:** 532-32-1 **EC-number:** 208-534-8

1.2 Relevant identified uses of the substance or mixture and uses advised against 1.2.1 Relevant identified uses

Preservative, antioxidant (food grade), cosmetic component.

#### **1.2.2 Uses advised against** No specific uses advised against have been identified.

## 1.3 Details of the supplier of the safety data sheet

Company name:	Velsicol Chemical Ireland Limited			
	Regus House			
Street/POB-No.:	Hartcourt Centre			
	Hartcourt Road			
Postal Code, city:	Dublin 2, IRL			
	Republic of Ireland			
WWW:	www.velsicol.com			
E-mail:	sfriedman@velsicol.com			
Telephone:	00353 1 477 3143			
Telefax:	00353 1 402 9587			
Dept. responsible for information:				
	sfriedman@velsicol.com			

1.4 Emergency telephone number Telephone: +49 51 92 98970 (08:00–17:00 CET) or CHEMTREC, Telephone: +1 703 527 3887 (24h; from USA: 1-800-424-9300)

## SECTION 2: Hazard(s) identification

## 2.1 Hazard classification and Hazard statement(s)

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hazard classification	Hazard statement
H319: Eye Irritation, category 2	Cause serious eye irritation.

Appearance: white powder.

Cause serious eye irritation. May cause skin irritation. May cause respiratory and digestive tract irritation. Slightly hazardous in case of ingestion.

May form combustible dust concentrations in air.

## 2.2 Precautionary statements

P264: Wash ... thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

VELSICOL Chemical LLC

## **Sodium Benzoate**

## Version: 1.0 / EN Revision date: 19 October 2017

according to Regulation (EC) No. 1907/2006 and Regulation (EU)

EU SAFETY DATA SHEET

No 453/2010 (REACH)

P337 + P313: If eye irritation persists: Get medical advice/attention. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Signal Word

WARNING

2.4 Pictograms

2.5



None known

## **SECTION 3:** Composition/information on ingredients:

## 3.1 Substances

Chemical Name	Synonyms	CAS No.	EC NO.	% by Weight
Sodium Benzoate	Benzoic acid sodium salt, Sodium benzoic acid	532-32-1	208-534-8	>99.0

## 3.2 Mixtures

Not applicable

## **SECTION 4:** First-aid measures

## 4.1 Description of first aid measures

## 4.1.1 General information:

Hazardous in case of eye contact (irritant), of skin contact (irritant), of ingestion, of inhalation. Move out of dangerous area if irritation or other symptoms occur from any route of exposure.

See Section 11 for toxicological information.

## 4.1.2 Following inhalation:

If inhaled, move to fresh air. Get medical attention if symptoms persist

## 4.1.3 Following skin contact:

Flush immediately the area with soap and plenty of water. Remove contaminated clothing and shoes. Seek medical attention if symptoms occur.

## 4.1.4 Following eye contact:

Check for and remove any contact lenses. Flush immediately with plenty of water for at least 15 minutes. Seek medical attention.

## 4.1.5 Following ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Get medical attention.

## 4.1.6 Self-protection of the first aider:

VELSICOL Chemical LLC according to Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH)

## **Sodium Benzoate**

Version: 1.0 / EN Revision date: 19 October 2017

Wear protective gloves/protective clothing/eye protection/face protection if possible. Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed out of the workplace. Get medical attention immediately if exposure occurs from any route.

4.1.7 Notes for the doctor:

Not available.

- **4.2 Most important symptoms and effects, both acute and delayed** See section 2 and/or section 11
- 4.3 Indication of any immediate medical attention and special treatments needed None known

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Flammability Properties: May form combustible dust.

Suitable extinguishing media: dry chemicals, water spray, and CO2 (may be ineffective on larger fires due to a lack of cooling capacity).

Unsuitable extinguishing media: Do not use water jet or any method that will create dust clouds.

## 5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Products of combustion are carbon oxides (CO, CO2).

## 5.3 Advice for fire fighters

Firefighters and others who may be exposed to products of combustion should wear full firefighting turn out gear and self-contained breathing apparatus (SCBA). Firefighting equipment should be thoroughly decontaminated after use.

## 5.4 Further information

No data available

## **SECTION 6:** Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of eyes, skin and personal clothing. Wash thoroughly after handling.

Removal of ignition sources, provision of sufficient ventilation, avoid raising dust. Evacuate the danger area and consult an expert.

## 6.2 Environmental precautions

Do not allow to enter sewers / surface or ground water. In case of spillage to water course or public sewers inform responsible authorities.

## 6.3 Methods and materials for containment and clearing up



according to Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH)

## **Sodium Benzoate**

Version: 1.0 / EN Revision date: 19 October 2017

Contain spill. Use spark-proof and explosion-proof tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spraying water on the contaminated surface. Prevent runoff from entering drains, sewers, or streams. Dispose in according to local and regional authority requirements.

## 6.4 References to other sections

See sections 8 and 13 for further advice.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

**Protective measures:** Do not handle until all safety precautions have been read and understood; Wear suitable protective clothing, gloves and eye/face protection (see Section 8). Avoid contact with eyes.

**Measures to prevent aerosol and dust generation:** Provide ventilation to minimize exposure. Avoid raising dust. Do not breathe dust/fumes/gas/mist/vapours/spray.

Measures to protect the environment: Avoid release to the environment.

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding exposure through any route. Keep away from sources of ignition and avoid raising dust. Wash hands thoroughly after handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, and well-ventilated area away from sources of ignition; Keep container tightly closed. This material may be used in food. Store separated from: Odorous substances. Toxic substances.

## 7.3 Specific end uses(s)

Antioxidant

## **SECTION 8. Exposure controls/personal protection**

## 8.1 Control parameters

No national limits have been set for Occupational Exposure Limit (OEL) values except the following: ST ESL:  $50 \ \mu g/m^3$ ; AN ESL:  $5 \ \mu g/m^3$  (US. Texas. ESL: Effects Screening Levels (Texas Commission on Environmental Quality, 03/2014)

## 8.2 Exposure controls

Ventilation must be adequate. Eliminate ignition sources (e.g., spark, static buildup, and heat, etc.).

## 8.2.1 Appropriate engineering controls:

Always provide effective general and, when necessary, local exhaust ventilation to draw dust and vapor away from workers to prevent routine inhalation. Ensure that eyewash stations and safety showers are close to the workstation location.

## 8.2.2 Personal protective equipment (PPE):

Do not eat, drink, or smoke whilst working. Remove all contaminated clothing.

## **Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29 CFR). Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information. **Eye and face protection** 

VELSICOL Chemical LLC according to Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH)

## **Sodium Benzoate**

Version: 1.0 / EN Revision date: 19 October 2017

Safety glasses with side shields (or goggles) and a face shield should be worn when handling this substance. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin and body protection

Wear chemical resistant (impervious) gloves and a complete personal protective suit. Gloves and cloth must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## 8.3 Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9:** Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

information on basic physical	r and chemical properties
Appearance:	White granular
Odour:	Odourless
Odour threshold:	no data available
pH:	~ 8
Melting/Freezing point:	> 300 °C / 572 °F
Boiling point:	Not available
Flashpoint:	Not available
Autoignition Temperature:	Not available
Evaporation rate:	Not available
Flammability:	May form combustible dust
Vapor pressure:	Not available
Vapour density:	4.97 (Air = 1)
Specific density:	1.44 at 25°C
Refractive index:	No data available
Solubility in water:	soluble in water
Solubility in other solvents:	complete
Partition coefficient:	log Pow: -2.27
Volatile by weight	Not available
Decomposition temperature:	Not available
Viscosity	Not available
Explosive properties	Not considered to be explosive
Oxidising properties	Not considered to be oxidising
Dissociation Constant:	Not available
Formula:	C7H5NaO2
Molecular Weight	144.1

## 9.2 Other information

Some of the number specified are typical values and do not represent a specification.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Not a reactive substance and no reactive hazards are expected.

## 10.2 Chemical stability

The product is stable.

VELSICOL Chemical LLC according to Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH)

## Sodium Benzoate

Version: 1.0 / EN Revision date: 19 October 2017

- **10.3 Possibility of hazardous reactions** No hazardous reactions expected under normal conditions of use.
- **10.4** Conditions to avoid Excessive heat and ignition sources. Avoid static discharge. Avoid dust formation.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** Carbon dioxide, carbon monoxide.

## **SECTION 11:** Toxicological information

11.1 Information on toxicological effects Acute toxicity

LD50 Oral (rat): > 2,000 mg/kg; LC50 Inhalation (rat): > 2069 mg/l; LD50 Dermal (rabbit): > 2,000 mg/kg

Repeated dose toxicity NOAEL (Rat, Oral Study): 1,000 mg/kg NOAEC (Rat, Inhalation study:): 250 mg/l Read-across from a similar material NOAEL (Rat, Dermal Study): 2,500 mg/kg

**Skin corrosion/irritation** Sightly skin irritation – rabbit, 24 h

Serious eye damage/irritation Risk of serious damage to eyes - rabbit.

**Respiratory/skin sensitisation** No evidence of skin sensitization (Mouse).

Germ cell mutagenicity Not classified

**Carcinogenicity** Not classified. Not listed or regulated by IARC, NTP, OSHA, or ACGIH

Reproductive toxicity Not classified.

STOT-single exposure Not classified STOT-repeated exposure Not classified

Aspiration hazard Not classified.

Additional Information None available



# No 453/2010 (REACH)

Version: 1.0 / EN Revision date: 19 October 2017

according to Regulation (EC) No. 1907/2006 and Regulation (EU)

EU SAFETY DATA SHEET

## **SECTION 12:** Ecological information

#### 12.1. Toxicity

Fish: 96 hr LC50 (Fathead Minnow): 484mg/L; Chronic NOEC (Zebra Fish) >10mg/L (6days)

Invertebrates: 96 hr LC50 (Water Flea ): >100mg/L; Chronic NOEC: No data available.

Algae: 72 hr EC50: >30.5 mg/L; Chronic NOEC: No data available.

- **12.2 Persistence and degradability** Readily biodegradable and therefore is not Persistence.
- **12.3 Bioaccumulative potential** Log Kow = -2.27, Bio-concentration factor (BCF): No data available.
- **12.4 Mobility in soil** No specific information available
- 12.5 Results of PBT and vPvB assessment Not PBT or vPvB
- **12.6** Other adverse effects No information available.

## **SECTION 13:** Disposal considerations

Incinerate in a properly permitted facility in accordance with federal, state and local regulation or regional authorities.

## **SECTION 14:** Transport information

This substance is not a dangerous good under DOT, ADR, IMDG, and IATA.

## **SECTION 15:** Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Chemical Inventories:** Australian (AICS / NICNAS), Canada (DSL), China (IECSC), Europe (EINECS), Japan (MITI), Korean (ECL), Philippine (PICCS), & United States (TSCA)

OSHA (USA): HazardousCanadian Workplace Hazardous Material Information System (WHMIS) classification: D2BHMIS RatingHealth: 2Flammability: 1Reactivity (Stability): 0Personal Protection: E

Key: 0=Insignificant; 1=Slight; 2=Moderate; 3=High; 4=Extreme, X = Consult your supervisor. An asterisk appearing after the HMIS Health numerical rating denotes a chronic hazard.

## 15.2 Chemical Safety Assessment

Yes.



according to Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH)

## **Sodium Benzoate**

Version: 1.0 / EN Revision date: 19 October 2017

## **SECTION 16: Other information**

## 16.1 Indication of changes

This is the first SDS according to Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH) 19 October 2017

## 16.2 Key literature references and sources for data

Regulation (EC) No. 1907/2006 and Regulation (EU) No 453/2010 (REACH) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 Information on Chemicals, ECHA website: <u>http://echa.europa.eu/web/guest/home</u> Product Data Sheet and SDS information from manufacturer.

## 16.3 Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.